

Jupiter Medical Center - Sleep Questionnaire 1025 Military Trail, Suite 210, Jupiter FL 33458 (561) 744-4478 Fax (561) 748-4114 Email: Sleep@jupitermed.com

Name:	Gender: Male Female Birthdate:					
Address:	City: State:	Zip:				
Daytime Phone:	Occupation:					
Evening Phone:	Years of Education:					
Cell Phone:	Height: Weight: Neck Siz	e:				
EMAIL:	Language: □ English □ Spanish □ Oth	Language: ☐ English ☐ Spanish ☐ Other:				
Who is your primary care physician?	Who sent you to us?	Who sent you to us?				
Are you under the care of (check all that apply) □ Pulmonologist □ Neurologist □ Cardiologist □ Pain Specialist □ Psychologist □ Oncologist	ğ ,	-Nose-Throat Surgeon hrologist				
1. Please state in your own words why you (or y	your physician) asked for a sleep evaluation.					
Does this happen? ☐ Every Night ☐ Set How long? ☐ Over 2 years ☐ Al	everal times each week					
2. Have you ever had a sleep study before?	□ No □ Yes If "Yes" Where?	When?				
a. Do you, or have you used a CPAP or BiPA	AP unit in the past? \Box Yes \Box No \Box If "Yes" what	homecare company?				
b. Do you, or a family member in your house	use Oxygen, or rented medical equipment? If YES,	what company?				
If you have an overnight sleep study, we need scheduling. Please answer the following ques arrive requiring additional assistance beyond	tions completely, even if some may not appl	y to you. If you				
Would you be driving yourself to the appointment? (us If "NOT" please explain:		□ YES □ NO				
Do you use a □ Walker? □ Wheelchair? □ Scoote	er? or □ Cane?	□ YES □ NO				
Do you require assistance with speech, hearing, or un	nderstanding simple instructions?	□ YES □ NO				
Do you require assistance getting in and out of bed?		□ YES □ NO				
Do you require assistance taking medications, getting	dressed, eating, or using the bathroom?	□ YES □ NO				
Are you staying in an assisted living, group home, or h	have visits from a nurse, aide, or personal assistant?	P □ YES □ NO				
Do you use OXYGEN? ☐ YES, ☐ 1 liter ☐ 2 liters	s 🗆 3 liters 🗆 4 liters 🗆 5 liters 🗆 More than 5 liters	\square NO				

Fall	ling Asleep:
4.	What time do you usually fall asleep on a week night? am/pm Weekend night? am/pm
5.	How much does this time vary during a typical month? (earliest) am/pm to am/pm (latest)
6.	How long does it usually take to fall asleep? minutes
7.	How many nights a week does it take longer than 30 minutes to fall asleep? \square none \square 1 - 2 \square 3 - 4 \square 5 or more
8.	How many nights a week does it take longer than 60 minutes to fall asleep? □ none □ 1 - 2 □ 3 - 4 □ 5 or more
9.	When falling asleep, or trying to sleep, are you frequently bothered by:.
[] [] [] []	Thoughts racing through your mind? Feel muscular tension? Feel afraid of not being able to sleep? Creepy, crawly, achy, or twitchy feelings in legs? Have any kind of pain or discomfort? Suddenly become awake or alert? [] Feeling sad or depressed? [] Have anxiety or worry about things? [] Feel unable to move? [] Have vivid, dream-like images or scenes? [] Feel afraid of the dark or anything else?
Abo	out your Sleep:
10.	How many hours of sleep do you usually get each night? hours
11.	Does your nightly amount of sleep vary? From tohours
12.	How many times do you awaken each night?
13.	On a usual night, what is your longest period of wakefulness?
14.	Adding all of your usual periods of wake together, how many hours of WAKE do you have each night?
15.	If you are awake during the night, is it usually during the: \Box 1st half of the night? \Box 2nd half \Box No pattern
16.	Are you frequently bothered by, or told that you
	[] Feel afraid you won't fall back asleep after awakening? [] Get up at night due to children, pets, family member? [] Have you been told that you snore, snort, or gasp loudly? [] Been told that you stop breathing? [] Sweat a lot during the night? [] Sweat a lot during the night? [] Fall out of bed while asleep? [] Have unusual movements while asleep? [] Have unusual movements while asleep? [] Have dreams? [] Wake up to urinate? [] Wake up to urinate? [] Wake up with chest pain? [] Wake up due to hunger, or thirst? [] Wake up from bad dreams? [] Wake up from bad dreams? [] Wake up from too much light in the bedroom? [] Wake up due to noise or movement of bed partner?
17.	Do you dream on a regular basis? \square Yes \square No \square If "No" did you ever dream in the past? \square No \square Yes
	If "Yes" to dreaming in the past, but not now, how long ago do you recall dreaming? years ago
18.	What are your usual work hours? Start am/pm End: am/pm Any on-call?
19.	Does your work involve rotating or changing shifts? □ No □ Yes If YES, how often?
Sle	ep Questionnaire continued for: Initialed:

About v	vaking up:						
20.	20. What time do you usually awaken? am/pm						
21.	How long do you stay in bed, after awakening, before g	min					
22.	Does your final awakening vary over a 30 day period?	Earliest	am/pm L	.atest:am/pm			
23.	When waking up, do you often?						
	 Depend on an alarm to wake up? Sleep in more than 1 hr past usual wake time? Have vivid, dream like images when waking? Wake up with a headache? Wake up with a dry mouth? 	[]	Have a hard time w Feel unable to mov Wake up disoriente Wake up sick to yo Wake up 1-2 hours	re (paralyzed?) ed or confused?			
About [Daytime Activities & Alertness						
24.	How many naps do you take in a typical week?	If, YES, How	long are your naps'	?			
25.	Are the naps refreshing and do they restore alertness?	□ Ye	es 🗆 No				
26.	During the day, or your normal time awake, do you often	٦,					
	[] Feel sleepy during the day, where you could e[] Actually fall asleep while driving or stopped at[] Feel weak or fall down if surprised, angry, or e	a light	[] Feel muscular	tension or stress			
Other In	nformation:						
	27. Are there any other blood relatives in your family w	ith a sleep proble	em? Please describ	oe.			
	28. How many of the following drinks do you have on a	daily basis.	Typical Day	0 - 4 hours before bed			
	a. Coffee or tea with caffeine		cups	cups			
	b. Soda or pop with caffeine		cans	cans			
	c. Beer/Wine/Other		ea	ea			
	29. Do you now smoke or use any type of tobacco prod	duct?	□ No □ Yes				
	30. If no, did you EVER smoke or use any type of tobacco? □ No □ Yes, quit years ago						
	31. What type of tobacco do you, or did you use per da	y?					
	32. Please list any sleeping pill used to help you fall asleep or stay asleep or any medication used to stay awake & alert that you have taken in the PAST.						
[Name of pill and dose (amount) How lor		you take it?	Was it helpful?			
	33. Do you use any marijuana or other drugs on a regular basis? □ No □ Yes, what						
	34. How often do you exercise or participate in sports or walking?						
Sleep (Questionnaire continued for:			Initialed:			

		allergic to?		
36. What pr	rescribed medication	is do you take daily? If m	any, please attach list.	
37. What co	onditions are you bei	ing treated for or frequen	tly experiencing? (<i>check a</i>	ll that apply)
☐ Asthma	☐ Use Oxygen	□ COPD/Emphysema	☐ Frequent pneumonia	☐ Tuberculosis (TB)
☐ Asthma ☐ Lobectomy	☐ Use Oxygen ☐ Lung cancer	☐ COPD/Emphysema☐ Pulmonary fibrosis	☐ Frequent pneumonia☐ Severe allergies	☐ Tuberculosis (TB)☐ Eczema
Asthma Lobectomy Heart attack	☐ Use Oxygen☐ Lung cancer☐ Pacemaker	□ COPD/Emphysema□ Pulmonary fibrosis□ Heart failure (CHF)	□ Frequent pneumonia□ Severe allergies□ Atrial fibrillation	☐ Tuberculosis (TB)☐ Eczema☐ High blood pressure
Asthma Lobectomy Heart attack Angioplasty	☐ Use Oxygen☐ Lung cancer☐ Pacemaker	☐ COPD/Emphysema☐ Pulmonary fibrosis	□ Frequent pneumonia□ Severe allergies□ Atrial fibrillation	☐ Tuberculosis (TB)☐ Eczema☐ High blood pressure
Asthma Lobectomy Heart attack Angioplasty Dialysis	□ Use Oxygen□ Lung cancer□ Pacemaker□ Stents	 □ COPD/Emphysema □ Pulmonary fibrosis □ Heart failure (CHF) □ Heart bypass (CABG) 	 □ Frequent pneumonia □ Severe allergies □ Atrial fibrillation □ Heart valve surgery 	☐ Tuberculosis (TB)☐ Eczema☐ High blood pressure☐ High cholesterol☐ Anemia
Asthma Lobectomy Heart attack Angioplasty Dialysis Weakness	□ Use Oxygen □ Lung cancer □ Pacemaker □ Stents □ Kidney disease	□ COPD/Emphysema □ Pulmonary fibrosis □ Heart failure (CHF) □ Heart bypass (CABG) □ Diabetes	 □ Frequent pneumonia □ Severe allergies □ Atrial fibrillation □ Heart valve surgery □ Low blood sugar 	☐ Tuberculosis (TB)☐ Eczema☐ High blood pressure☐ High cholesterol☐ Anemia
Asthma Lobectomy Heart attack Angioplasty Dialysis Weakness Incontinence	□ Use Oxygen □ Lung cancer □ Pacemaker □ Stents □ Kidney disease □ Fatigue	□ COPD/Emphysema □ Pulmonary fibrosis □ Heart failure (CHF) □ Heart bypass (CABG) □ Diabetes □ Thyroid problems	 □ Frequent pneumonia □ Severe allergies □ Atrial fibrillation □ Heart valve surgery □ Low blood sugar □ Hepatitis / liver disease □ Irritable bowel □ Chronic pain 	 □ Tuberculosis (TB) □ Eczema □ High blood pressure □ High cholesterol □ Anemia □ Cellulitis
Asthma Lobectomy Heart attack Angioplasty Dialysis Weakness Incontinence	□ Use Oxygen □ Lung cancer □ Pacemaker □ Stents □ Kidney disease □ Fatigue □ Prostate trouble	□ COPD/Emphysema □ Pulmonary fibrosis □ Heart failure (CHF) □ Heart bypass (CABG) □ Diabetes □ Thyroid problems □ Crohns disease □ Chronic back pain □ Lupus	□ Frequent pneumonia □ Severe allergies □ Atrial fibrillation □ Heart valve surgery □ Low blood sugar □ Hepatitis / liver disease □ Irritable bowel □ Chronic pain □ TENS unit (for pain)	□ Tuberculosis (TB) □ Eczema □ High blood pressure □ High cholesterol □ Anemia □ Cellulitis □ Ulcers □ Syncope/fainting □ morphine pump
Asthma Lobectomy Heart attack Angioplasty Dialysis Weakness Incontinence Arthritis Cancer Anxiety	□ Use Oxygen □ Lung cancer □ Pacemaker □ Stents □ Kidney disease □ Fatigue □ Prostate trouble □ Fibromyalgia □ Immune disorder □ Depression	□ COPD/Emphysema □ Pulmonary fibrosis □ Heart failure (CHF) □ Heart bypass (CABG) □ Diabetes □ Thyroid problems □ Crohns disease □ Chronic back pain □ Lupus □ Bi polar depression	□ Frequent pneumonia □ Severe allergies □ Atrial fibrillation □ Heart valve surgery □ Low blood sugar □ Hepatitis / liver disease □ Irritable bowel □ Chronic pain □ TENS unit (for pain) □ Post traumatic stress	□ Tuberculosis (TB) □ Eczema □ High blood pressure □ High cholesterol □ Anemia □ Cellulitis □ Ulcers □ Syncope/fainting □ morphine pump □ Other psychiatric cond
Asthma Lobectomy Heart attack Angioplasty Dialysis Weakness Incontinence Arthritis Cancer Anxiety Paralysis	□ Use Oxygen □ Lung cancer □ Pacemaker □ Stents □ Kidney disease □ Fatigue □ Prostate trouble □ Fibromyalgia □ Immune disorder □ Depression □ Stroke	□ COPD/Emphysema □ Pulmonary fibrosis □ Heart failure (CHF) □ Heart bypass (CABG) □ Diabetes □ Thyroid problems □ Crohns disease □ Chronic back pain □ Lupus □ Bi polar depression □ Seizures	□ Frequent pneumonia □ Severe allergies □ Atrial fibrillation □ Heart valve surgery □ Low blood sugar □ Hepatitis / liver disease □ Irritable bowel □ Chronic pain □ TENS unit (for pain) □ Post traumatic stress □ Digestive troubles	□ Tuberculosis (TB) □ Eczema □ High blood pressure □ High cholesterol □ Anemia □ Cellulitis □ Ulcers □ Syncope/fainting □ morphine pump □ Other psychiatric cond □ GERD / Heartburn / Re
Asthma Lobectomy Heart attack Angioplasty Dialysis Weakness Incontinence Arthritis Cancer Anxiety Paralysis Alzheimers	□ Use Oxygen □ Lung cancer □ Pacemaker □ Stents □ Kidney disease □ Fatigue □ Prostate trouble □ Fibromyalgia □ Immune disorder □ Depression □ Stroke □ Dementia	□ COPD/Emphysema □ Pulmonary fibrosis □ Heart failure (CHF) □ Heart bypass (CABG) □ Diabetes □ Thyroid problems □ Crohns disease □ Chronic back pain □ Lupus □ Bi polar depression □ Seizures □ Parkinson's	□ Frequent pneumonia □ Severe allergies □ Atrial fibrillation □ Heart valve surgery □ Low blood sugar □ Hepatitis / liver disease □ Irritable bowel □ Chronic pain □ TENS unit (for pain) □ Post traumatic stress □ Digestive troubles □ M.S., ALS, M.D,	□ Tuberculosis (TB) □ Eczema □ High blood pressure □ High cholesterol □ Anemia □ Cellulitis □ Ulcers □ Syncope/fainting □ morphine pump □ Other psychiatric cond □ GERD / Heartburn / Re □ Post-polio syndrome
Asthma Lobectomy Heart attack Angioplasty Dialysis Weakness Incontinence Arthritis Cancer Anxiety Paralysis Alzheimers Nose surgery	□ Use Oxygen □ Lung cancer □ Pacemaker □ Stents □ Kidney disease □ Fatigue □ Prostate trouble □ Fibromyalgia □ Immune disorder □ Depression □ Stroke □ Dementia □ Sinus surgery	□ COPD/Emphysema □ Pulmonary fibrosis □ Heart failure (CHF) □ Heart bypass (CABG) □ Diabetes □ Thyroid problems □ Crohns disease □ Chronic back pain □ Lupus □ Bi polar depression □ Seizures □ Parkinson's □ Neck or jaw surgery	□ Frequent pneumonia □ Severe allergies □ Atrial fibrillation □ Heart valve surgery □ Low blood sugar □ Hepatitis / liver disease □ Irritable bowel □ Chronic pain □ TENS unit (for pain) □ Post traumatic stress □ Digestive troubles □ M.S., ALS, M.D, □ UPPP or somnoplasty	□ Tuberculosis (TB) □ Eczema □ High blood pressure □ High cholesterol □ Anemia □ Cellulitis □ Ulcers □ Syncope/fainting □ morphine pump □ Other psychiatric cond □ GERD / Heartburn / Re □ Post-polio syndrome □ Cleft palate repair
Asthma Lobectomy Heart attack Angioplasty Dialysis Weakness Incontinence Arthritis Cancer Anxiety Paralysis Alzheimers Nose surgery Tonsillectomy	□ Use Oxygen □ Lung cancer □ Pacemaker □ Stents □ Kidney disease □ Fatigue □ Prostate trouble □ Fibromyalgia □ Immune disorder □ Depression □ Stroke □ Dementia □ Sinus surgery □ Tracheostomy	□ COPD/Emphysema □ Pulmonary fibrosis □ Heart failure (CHF) □ Heart bypass (CABG) □ Diabetes □ Thyroid problems □ Crohns disease □ Chronic back pain □ Lupus □ Bi polar depression □ Seizures □ Parkinson's □ Neck or jaw surgery □ Gastric bypass	□ Frequent pneumonia □ Severe allergies □ Atrial fibrillation □ Heart valve surgery □ Low blood sugar □ Hepatitis / liver disease □ Irritable bowel □ Chronic pain □ TENS unit (for pain) □ Post traumatic stress □ Digestive troubles □ M.S., ALS, M.D, □ UPPP or somnoplasty □ Lap band	□ Tuberculosis (TB) □ Eczema □ High blood pressure □ High cholesterol □ Anemia □ Cellulitis □ Ulcers □ Syncope/fainting □ morphine pump □ Other psychiatric cond □ GERD / Heartburn / Re □ Post-polio syndrome
Asthma Lobectomy Heart attack Angioplasty Dialysis Weakness Incontinence Arthritis Cancer Anxiety Paralysis Alzheimers Nose surgery Tonsillectomy Sleep apnea	□ Use Oxygen □ Lung cancer □ Pacemaker □ Stents □ Kidney disease □ Fatigue □ Prostate trouble □ Fibromyalgia □ Immune disorder □ Depression □ Stroke □ Dementia □ Sinus surgery □ Tracheostomy □ Narcolepsy	□ COPD/Emphysema □ Pulmonary fibrosis □ Heart failure (CHF) □ Heart bypass (CABG) □ Diabetes □ Thyroid problems □ Crohns disease □ Chronic back pain □ Lupus □ Bi polar depression □ Seizures □ Parkinson's □ Neck or jaw surgery □ Gastric bypass □ Restless legs or PLMD	□ Frequent pneumonia □ Severe allergies □ Atrial fibrillation □ Heart valve surgery □ Low blood sugar □ Hepatitis / liver disease □ Irritable bowel □ Chronic pain □ TENS unit (for pain) □ Post traumatic stress □ Digestive troubles □ M.S., ALS, M.D, □ UPPP or somnoplasty □ Lap band	□ Tuberculosis (TB) □ Eczema □ High blood pressure □ High cholesterol □ Anemia □ Cellulitis □ Ulcers □ Syncope/fainting □ morphine pump □ Other psychiatric cond □ GERD / Heartburn / Ro □ Post-polio syndrome □ Cleft palate repair □ Ostomy
Asthma Lobectomy Heart attack Angioplasty Dialysis Weakness Incontinence Arthritis Cancer Anxiety Paralysis Alzheimers Nose surgery Tonsillectomy	□ Use Oxygen □ Lung cancer □ Pacemaker □ Stents □ Kidney disease □ Fatigue □ Prostate trouble □ Fibromyalgia □ Immune disorder □ Depression □ Stroke □ Dementia □ Sinus surgery □ Tracheostomy	□ COPD/Emphysema □ Pulmonary fibrosis □ Heart failure (CHF) □ Heart bypass (CABG) □ Diabetes □ Thyroid problems □ Crohns disease □ Chronic back pain □ Lupus □ Bi polar depression □ Seizures □ Parkinson's □ Neck or jaw surgery □ Gastric bypass □ Restless legs or PLMD	□ Frequent pneumonia □ Severe allergies □ Atrial fibrillation □ Heart valve surgery □ Low blood sugar □ Hepatitis / liver disease □ Irritable bowel □ Chronic pain □ TENS unit (for pain) □ Post traumatic stress □ Digestive troubles □ M.S., ALS, M.D, □ UPPP or somnoplasty □ Lap band	□ Tuberculosis (TB) □ Eczema □ High blood pressure □ High cholesterol □ Anemia □ Cellulitis □ Ulcers □ Syncope/fainting □ morphine pump □ Other psychiatric cond □ GERD / Heartburn / Re □ Post-polio syndrome □ Cleft palate repair □ Ostomy
Asthma Lobectomy Heart attack Angioplasty Dialysis Weakness Incontinence Arthritis Cancer Anxiety Paralysis Alzheimers Nose surgery Tonsillectomy	Use Oxygen Lung cancer Pacemaker Stents Kidney disease Fatigue Prostate trouble Fibromyalgia Immune disorder Depression Stroke Dementia Sinus surgery Tracheostomy Narcolepsy t limb?)	□ COPD/Emphysema □ Pulmonary fibrosis □ Heart failure (CHF) □ Heart bypass (CABG) □ Diabetes □ Thyroid problems □ Crohns disease □ Chronic back pain □ Lupus □ Bi polar depression □ Seizures □ Parkinson's □ Neck or jaw surgery □ Gastric bypass □ Restless legs or PLMD □ Skin grafts or burns (w	□ Frequent pneumonia □ Severe allergies □ Atrial fibrillation □ Heart valve surgery □ Low blood sugar □ Hepatitis / liver disease □ Irritable bowel □ Chronic pain □ TENS unit (for pain) □ Post traumatic stress □ Digestive troubles □ M.S., ALS, M.D, □ UPPP or somnoplasty □ Lap band	□ Tuberculosis (TB) □ Eczema □ High blood pressure □ High cholesterol □ Anemia □ Cellulitis □ Ulcers □ Syncope/fainting □ morphine pump □ Other psychiatric cond □ GERD / Heartburn / Re □ Post-polio syndrome □ Cleft palate repair □ Ostomy

BED-PARTNER OBSERVATIONS: (TO BE COMPLETED BY SPOUSE, SIGNIFICANT OTHER, OR FAMILY MEMBER) 38. Please check off any of the following that you have frequently observed the patient doing WHILE ASLEEP.

		All Nig	ht Parts of	night If ti	ired If alcoho	ol Rarely	Never
Light Snoring?							
Loud Snoring heard through do	oor, or in other rooms?						
Choking or stop breathing?							
Snoring interrupted by pauses,	with snorts or gasps?						
Twitching, jerking, kicking of ar	ms or legs in sleep?						
Sleep talking?							
Sleep walking?							
Crying out screaming or moani	ing?						
Unusual violent activity, punch							
Eating food, other objects while	e appearing to be aslee	p? □					
Biting tongue, causing it to bleed?							
Been extremely difficult to awa	ken, or extremely grogg	ју? □					
39. Please indicate (circle) how often nodding off or falling asleep, even briefly has been observed							
At Work	,	daily	1-2 x week		1-2 x month	,	never
Church / Movies	,	,	1-2 x week			,	never
Riding in car	,	daily	1-2 x week			,	never
Driving car	,	,	1-2 x week				never
Eating meals	•		1-2 x week			•	never
Watching TV	several times daily	daily	1-2 x week	3-4 x week	1-2 x month	1-2 x year	never

40. EPWORTH SLEEPINESS SCALE TO BE COMPLETED BY PATIENT ONLY

This scale is used to determine how likely you are to doze off or fall asleep in various situations, in contrast to just feeling tired. Even if you have not done some of these things, please try to work out how they would have affected you. What is the chance you will doze off or fall asleep even briefly in the following situations? Circle one for each question.

•	No Chance	Slight Chance	Moderate Chance	High Chance
Sitting and Reading	0	1	2	3
Watching TV	0	1	2	3
Sitting inactive in a public place, (such as a theater or meeting)	0	1	2	3
As a passenger in a car for an hour without a break	0	1	2	3
Lying down to rest in the afternoon when circumstances permit it.	0	1	2	3
Sitting and talking with someone	0	1	2	3
Sitting quietly after a lunch without alcohol	0	1	2	3
In a car, while stopped for a few minutes in traffic A score of 12 or more indicates excess	0 ive sleepiness, ²	1 18 or more indicate	2 es severe sleepiness	3 S.

Sleep Questionnaire continued for:______ Initialed:_____